



FENETEX
MOTORIZED SCREENS

Job No: _____

Job Name: _____

Opening No: _____

Approved By: _____

SINGLE WINDOW WORKSHEET

Screens are cut narrower than the Overall System Width. The window panel will begin approximately 7-3/4" from the edge of the track with a standard 6" side border.

OVERALL SYSTEM WIDTH: _____

OVERALL SYSTEM HEIGHT: _____

UPPER PANEL FABRIC: _____

UPPER PANEL HEIGHT: _____

ALL WINDOW SIZES AND BORDER TOLERANCES ARE +/- 1"

ROLL VINYL ONLY WITH THIS STYLE

WINDOW PANEL: ROLL VINYL

WINDOW PANEL HEIGHT : _____ MAX CLEAR 65" UNDER WARRANTY, LARGER CLEAR PANELS AVAILABLE WITH WARRANTY DISCLAIMER. NO SIZE LIMIT WITH MESH WINDOWS.

6"

6"

BORDER FABRICS ARE THE SAME AS THE LOWER PANEL FABRIC.

LOWER PANEL FABRIC: _____

LOWER PANEL HEIGHT: _____ (ABOVE FINISHED FLOOR "AFF")
ENTER "0" IF FOR NO BOTTOM BORDER.

COMMON HEIGHTS
30" TABLE HEIGHT
36" RAIL HEIGHT
42" BAR HEIGHT

BOTTOM BAR 3" HEIGHT IS FACTORED INTO LOWER PANEL HEIGHT AFF



FENETEX
MOTORIZED SCREENS

Job No: _____

Job Name: _____

Opening No: _____

Approved By: _____

VERTICAL SEAM SINGLE WINDOW WORKSHEET

Screens are cut narrower than the Overall System Width. The window panel will begin approximately 7-3/4" from the edge of the track with a standard 6" side border.

OVERALL SYSTEM WIDTH: _____

OVERALL SYSTEM HEIGHT: _____

ALL WINDOW SIZES AND BORDER TOLERANCES ARE +/- 1"

**ADDITIONAL COSTS APPLY FOR THIS STYLE SCREEN
CONTACT YOUR SALES REP FOR ASSISTANCE**

*ROLL VINYL ONE DIMENSION
MUST BE 65" OR LESS*

*STRATAGLASS 48"X104"
MAX USABLE SHEET SIZE.
STRATAGLASS INVOICED
BASED ON NUMBER OF
SHEETS USED IN LAYOUT*

BORDER FABRIC _____

WINDOW PANEL ROLL VINYL STRATAGLASS

TOP PANEL HEIGHT _____

SIDE PANEL WIDTH _____

BOTTOM PANEL HEIGHT _____

SEAMS ARE EVENLY
SPACED BETWEEN
SIDE PANELS

6"

6"

BOTTOM BAR 3" HEIGHT IS FACTORED INTO LOWER PANEL HEIGHT AFF



FENETEX
MOTORIZED SCREENS

Job No: _____

Job Name: _____

Opening No: _____

Approved By: _____

DOUBLE WINDOW WORKSHEET

ADDITIONAL COSTS

Screens are cut narrower than the Overall System Width. The window panel will begin approximately 7-3/4" from the edge of the track with a standard 6" side border.

OVERALL SYSTEM WIDTH: _____


OVERALL SYSTEM HEIGHT: _____

**ADDITIONAL COSTS APPLY FOR THIS STYLE SCREEN
CONTACT YOUR SALES REP FOR ASSISTANCE**

UPPER PANEL FABRIC: _____

UPPER PANEL HEIGHT: _____

ALL WINDOW SIZES AND BORDER TOLERANCES ARE +/- 1"



BORDER AND MULLION FABRICS ARE THE SAME AS THE LOWER PANEL FABRIC.

LOWER PANEL FABRIC: _____

LOWER PANEL HEIGHT: _____ (ABOVE FINISHED FLOOR "AFF")
ENTER "0" IF FOR BOTTOM BORDER.

COMMON HEIGHTS
30" TABLE HEIGHT
36" RAIL HEIGHT
42" BAR HEIGHT

BOTTOM BAR 3" HEIGHT IS FACTORED INTO LOWER PANEL HEIGHT AFF



FENETEX
MOTORIZED SCREENS

Job No: _____

Job Name: _____

Opening No: _____

Approved By: _____

TRIPLE WINDOW WORKSHEET

ADDITIONAL COSTS

Screens are cut narrower than the Overall System Width. The window panel will begin approximately 7-3/4" from the edge of the track with a standard 6" side border.

OVERALL SYSTEM WIDTH: _____

OVERALL SYSTEM HEIGHT: _____

**ADDITIONAL COSTS APPLY FOR THIS STYLE SCREEN
CONTACT YOUR SALES REP FOR ASSISTANCE**

UPPER PANEL FABRIC: _____

UPPER PANEL HEIGHT: _____

ALL WINDOW SIZES AND BORDER TOLERANCES ARE +/- 1"

	<p>WINDOW PANEL FABRIC</p> <hr/> <p>WINDOW PANEL WIDTH</p> <hr/> <p>WINDOW PANEL HEIGHT</p>	<p>6"</p>	<p>MULLION WIDTH 6" MIN</p>	<p>WINDOWS ARE THE SAME TYPE AND SIZE</p> <p>ROLL VINYL ONE DIMENSION MUST BE 65" OR LESS</p> <p>STRATAGLASS 48"X104" MAX WINDOW SIZE</p>	<p>MULLION WIDTHS ARE THE SAME</p>	<p>WINDOWS ARE THE SAME TYPE AND SIZE</p>	<p>6"</p>
--	---	-----------	-------------------------------------	---	--	---	-----------

BORDER AND MULLION FABRICS ARE THE SAME AS THE LOWER PANEL FABRIC.

LOWER PANEL FABRIC: _____

LOWER PANEL HEIGHT: _____ (ABOVE FINISHED FLOOR "AFF")
ENTER "0" IF FOR BOTTOM BORDER.

COMMON HEIGHTS
30" TABLE HEIGHT
36" RAIL HEIGHT
42" BAR HEIGHT

BOTTOM BAR 3" HEIGHT IS FACTORED INTO LOWER PANEL HEIGHT AFF